

Tradesperson assembly guide

1. Cutting to length

Cut the drain base using an Aluminium cutting blade 10mm shorter than required length to allow for end cap fitting. Ensure cut is square and free from burs. Cut the drain insert 5mm shorter than the drain base to allow for easy removal of insert for cleaning.


2. Fitting outlet

Mark required outlet location on drain base to suit the location of your waste pipe and drill outlet hole using an FLATCT tungsten carbide tipped hole saw to suit your selected outlet size. Join the outlet to the drain base by applying clear silicone around the top of the outlet and joining to the outlet opening on the underside of the drain base.

3. Fitting end caps


Insert the drain end caps into the drain base and seal the join with a bead of clear silicone to the inside of the drain base.

Hayman Aluminium Drains are to be installed in accordance with the Plumbing Code of Australia (PCA).



Drain Installation Guide

Where connections form the primary connection to the drainage system, a Watermark approved puddle flange must be used. The installation guide shown below is a practical reference to installers only. Please consult your local authority for full details as they relate to your specific circumstances. If in doubt call a qualified plumber.



*Drains must be bedded in neutral cure silicone to create separation from cementitious product.

Waterproof the shower, wall and the floor including the puddle flange

- 1. Use flexible sealant at corner joints.
- 2. Use approved sealant glue to the outlet.
- 3. Use PVC pipe connector to sewer.
- 4. Use clear bathroom silicone to join the drainage end caps.
- 5. Make sure the fall is always towards the grate.



Phone 1800 505 045 Fax (03) 9781 9788

6 Ashley Park Drive, Chelsea Heights VIC 3196 PO Box 318, Patterson Lakes, Victoria, 3197

Email sales@dta-aus.com.au Web www.dta-aus.com.au ABN 26 007 291 054

Lifetime Warranty, Product Care & Maintenance – Hayman Aluminium Drains

Warranty

This warranty is provided by DTA Australia Pty Ltd (ACN 007 291 054) (**DTA, us, our**) in respect of our Hayman Aluminium Drains (**Product**).

DTA products come with guarantees that cannot be excluded under the Australian Consumer Law (**ACL**). You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

All rights provided to you under this warranty are in addition to any rights you have as a consumer under the ACL.

What is covered?

This DTA warranty covers the repair or replacement of your Product (at DTA's discretion) if it is found to be defective due to faulty materials or workmanship for the lifetime of the product when installed by a licensed tradesman in accordance with AS/NZS 3500.2 and AS 3740-2010.

The repair or replacement will be provided free of charge, on a "return to base" basis. This means that you will need to return the Product to us for assessment, repair or replacement and DTA will only be liable for the freight costs which relate to the return of the Product to you.

What is not covered?

This warranty does not cover the following:

- normal wear and tear of the Product;
- the installation or refinishing of a replacement product;
- damage caused by installation or unstable corrosive environments (such as lime);
- any damage caused by not carrying out the recommended Product Care & Maintenance below and/or following any other guidelines issued by DTA;
- any other claims arising from incorrect installation not in accordance with AS/NZS 3500.2, AS 3740-2010 or any other guidelines issued by DTA at the time of purchase;
 and
- any other claims arising from negligence (including misuse, mishandling or incorrect maintenance of the Product) will void the warranty.

Product selection and suitability for the installation environment is the responsibility of the customer.

Warranty terms and conditions

All claims under this warranty must be made in writing to the nearest DTA branch and be accompanied by proof of purchase. DTA reserves the right to inspect any Product which is alleged to have failed or be defective due to faulty materials or workmanship.

This warranty shall not apply unless DTA has received payment in full for the Product for which the warranty claim is made.

This warranty is given exclusively to the original buyer and is non-transferable.

THE CHOICE OF PROFESSIONALS



Phone 1800 505 045 Fax (03) 9781 9788

6 Ashley Park Drive, Chelsea Heights VIC 3196 PO Box 318, Patterson Lakes, Victoria, 3197

Email sales@dta-aus.com.au Web www.dta-aus.com.au ABN 26 007 291 054

No employee, salesperson, or representative of DTA has any authority to change or modify this warranty in any way.

DTA shall be under no liability to replace or repair where, in DTA's opinion, a defect in the Product is caused by abnormal conditions of working, accident, misuse or neglect, or where the Product is placed in the hands of any person other than DTA or one of DTA's authorised agents for repair or alteration. Only repairs carried out by DTA personnel or authorised DTA agents are covered by this warranty.

DTA shall not be liable for any loss or damage sustained in connection with the sale of, or use of, the Product, such as damages for personal injury, loss, claims, property damage, or labor, material or other costs, or any other consequential losses resulting from the handling of the Product (whether special or consequential or otherwise) howsoever caused or arising and whether direct or indirect).

No waiver, modification or alteration of any of the terms of this warranty shall be binding on DTA unless authorized in writing by the Chief Executive Officer, and except for the provisions of this warranty, there is no representation, warranty, condition, right, remedy, or covenant (written or oral, expressed or implied, statutory or otherwise) given, extended or authorised by DTA with respect to the Product other than the consumer guarantees provided under the ACL.

Product Care & Maintenance

- Always remove excess grout IMMEDIATELY during installation to avoid discolouration.
- Cleaning should be performed with a sponge and warm water then dried with a chamois or soft cloth.
- Abrasive materials and chemicals must not be used during cleaning and may cause damage and discolouration.

Should you wish to offer feedback on any of our products or services, please call 1800 505 045, email sales@dta-aus.com.au or post to 6 Ashley Park Drive, Chelsea Heights, VIC 3196 Australia.